
24,397.÷
31.=
787.*
787.×
10.%
78.7*
78.7+
865.7*
0.*

ANGIE

MR-1

PRETREATMENT MONITORING REPORT

NAME: TENAX FINISHING PRODUCTS, CO.

MAILING ADDRESS 390 ADAMS STREET, NEWARK, NJ 07114

FACILITY LOCATION: 390 ADAMS STREET, NEWARK, NJ 07114

CATEGORY & SUBPART: UNKNOWN OUTLET #: 1

CONTACT OFFICIAL: Jim O' Neill TELEPHONE #: 973.589.9000

NEW CUSTOMER ID/ OUTLET ID: 20630001-1 OLD OUTLET DESIGNATION: _____

MONITORING PERIOD					
7	1	2008	7	31	2008
MO.	DAY	YR	MO.	DAY	YR.
START			END		

For Reporting Period

	Average	Maximum
Regulated Flow-gal/day	787	
Total Flow-gal/day	787	864

Method used: Total flow divided by 31 days.

Production rate (if applicable):

PARAMETER		MASS LIMIT OR CONCENTRATION			# OF SAMPLES	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS		COMP/GRAB
Cadmium	Sample Measurement	< 0.0004		MG/L	1	COMP
	Permit Requirement	0.19		MG/L		
Copper	Sample Measurement	0.0307		MG/L	1	COMP
	Permit Requirement	3.02		MG/L		
Lead	Sample Measurement	0.0051		MG/L	1	COMP
	Permit Requirement	0.54		MG/L		
Mercury	Sample Measurement	< 0.001		MG/L	1	COMP
	Permit Requirement	0.080		MG/L		
Nickel	Sample Measurement	0.0093		MG/L	1	COMP
	Permit Requirement	5.9		MG/L		
Zinc	Sample Measurement	0.0146		MG/L	1	COMP
	Permit Requirement	1.67		MG/L		
Petroleum Hydrocarbons	Sample Measurement		< 5.0	MG/L	1	GRAB
	Permit Requirement		100	MG/L		
VOC FOR 413.4	Sample Measurement		0.0039	MG/L	1	GRAB
	Permit Requirement		2.13	MG/L		
BOD	Sample Measurement		26.2	MG/L	1	COMP
	Permit Requirement			MG/L		

PVSC Form MR-1 Rev: 4 6/87 P1

Certification of Non-use if applicable (use additional sheets): _____

Compliance or non compliance statement with compliance schedule (use additional sheets if necessary) for every parameter used: All parameters were in compliance with the applicable limits.

Explain Method for preserving samples: All samples were preserved with ice. In addition the VOC samples were preserved with HCl, the Metals sample was preserved with HNO3, and the PHC sample was preserved with HCl.

I certify under penalty of law that this document and attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

403.6(a)(2)(ii) revised by 53 FR 40610, October 17, 1988

James A O'Neill

Signature of Principal
Executive or Authorized Agent

JAMES A. O'NEILL PRESIDENT

Jim O'Neill
Type Name and Title

8-12-08
Date

PVSC Form MR-1 Rev: 5 3/91 P2

Client ID: **LSP-4_070108**
Site: Tenax

Lab Sample No: **931982**
Lab Job No: W478

Date Sampled: 07/01/08
Date Received: 07/02/08
Date Analyzed: 07/10/08
GC Column: Rtx-VMS
Instrument ID: VOAMS10.i
Lab File ID: r2180.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 1.0

VOLATILE ORGANICS - GC/MS
METHOD 624

Parameter	Analytical Result Units: ug/l	Method Detection Limit Units: ug/l
Chloromethane	ND	0.4
Bromomethane	ND	0.4
Vinyl Chloride	ND	0.2
Chloroethane	ND	0.4
Methylene Chloride	ND	0.4
Trichlorofluoromethane	ND	0.4
1,1-Dichloroethene	ND	0.5
1,1-Dichloroethane	ND	0.3
trans-1,2-Dichloroethene	ND	0.4
cis-1,2-Dichloroethene	ND	0.3
Chloroform	0.3	0.2
1,2-Dichloroethane	ND	0.3
1,1,1-Trichloroethane	ND	0.4
Carbon Tetrachloride	ND	0.3
Bromodichloromethane	ND	0.2
1,2-Dichloropropane	ND	0.5
cis-1,3-Dichloropropene	ND	0.1
Trichloroethene	ND	0.4
Dibromochloromethane	ND	0.3
1,1,2-Trichloroethane	ND	0.2
Benzene	ND	0.2
trans-1,3-Dichloropropene	ND	0.2
2-Chloroethyl Vinyl Ether	ND	0.2
Bromoform	ND	0.2
Tetrachloroethene	ND	0.4
1,1,2,2-Tetrachloroethane	ND	0.4
Toluene	3.0	0.3
Chlorobenzene	ND	0.2
Ethylbenzene	ND	0.4
Xylene (Total)	0.6	0.4

Client ID: **LSP-4 070108**
Site: **Tenax**

Lab Sample No: 931982
Lab Job No: W478

Date Sampled: 07/01/08
Date Received: 07/02/08

Matrix: WATER
Level: LOW

METALS ANALYSIS

Analyte	Analytical Result Units: ug/l	Instrument Detection Limit	Qual	M
Cadmium	ND	0.40		P
Copper	30.7	3.7		P
Lead	5.1	2.7		P
Nickel	9.3	2.4	B	P
Zinc	14.6	5.8	B	P

Qual Column - Data Reporting Qualifiers (See Sec 2 of Report)
M Column - Method Code (See Section 2 of Report)

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

1008 W. 9th Ave. - King of Prussia, PA 19606
(610) 337-9992 - FAX (610) 337-9939

TestAmerica Edison	Project: Job W478	
777 New Durham Road	Project Number: NA	**Reported:**
Edison NJ, 08817	Project Manager: Alison Sedlak	07/25/08 16:04

Total Metals by EPA 6000/7000 Series Methods

TestAmerica King Of Prussia

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
931982 (KRG0455-01) Water Sampled: 07/01/08 12:00 Received: 07/21/08 19:00									
Mercury	ND	1.00	ug/l	1	8072304	07/23/08	07/23/08	EPA 7470A	

TestAmerica King Of Prussia

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Oswaldo Burgos, Project Manager

General Information

Chain of Custody

EPA Request #: III.B.1.e.

TestAmerica - Edison
777 New Durham Road
Edison, New Jersey 08817
Phone: (732) 549-3900 Fax: (732) 549-3679

CHAIN OF CUSTODY / ANALYSIS REQUEST

Name (for report and invoice)	Samplers Name (Printed)	Job: W478
Alison Sedlak		Site:
Company	P.O. #	State: NJ
TestAmerica Edison		Deliv.: Reduced / excell haz site / Imatt EDD
Address	Analysis Turnaround Time	ANALYSIS REQUESTED (ENTER "X" BELOW)
777 New Durham Road	Standard ☐	LAB USE ONLY
City / State / Zip	☒ H/C Due 7/29/08	Project No:
Edison / NJ / 08817	☐	Job No: 0°C
Phone / Fax	☐	
732-549-3900 / 732-549-3679		

Sample Identification	Date	Time	Matrix	No. of Cont.	Mercury 200						Sample Numbers
931982	7/1/2008	12:00	AQ	1	X						240045-01

Preservation Used: 1 = ICE, 2 = HCl, 3 = H_2SO_4, 4 = HNO_3, 5 = NaOH
6 = Other ___MeOH_____, 7 = Other ___

Soil:
Water:

Special instructions:

Water Metals Filtered (Yes/No)? N/A

Relinquished by 1)	Company TestAmerica Edison	Date / Time 7/21/08 1900	Received by 1) ~~UPS~~ Company
Relinquished by 2)	Company	Date / Time 7/22/08 09:00	Received by 2) Company TEST AMERICA
Test America KOP	TEST AMERICA	7/22/08 10:30	

Please only send volume required for analysis.
Hold expiration soon please ship today 7/21/08. ALS

EPA Request #: III.B.1.e.

PVSC41 - 00003353

Industrial Department

Haley & Aldrich
299 Cherry Hill Rd.
Suite 105
Parsippany, NJ 07054-1124

Tel: 973.263.3900
Fax: 973.263.2580
HaleyAldrich.com

HALEY& ALDRICH

13 August 2008
File No. 76080-003

Passaic Valley Sewerage Commissioners
Industrial Department
600 Wilson Avenue
Newark, New Jersey 07105

Attention: Ms. Angela Dees

Subject: Discharge Monitoring Report for the Month of July 2008
Tenax Finishing Products Co,
390 Adams Street
Newark, New Jersey
New Customer ID/ Outlet ID: 20630001-1

Dear Ms. Dees:

On behalf of Tenax Finishing Products Co. (Tenax), we provide the enclosed Discharge Monitoring Report (DMR) for discharge of treated groundwater at the above-referenced facility. The discharge met all applicable permit limitations, as indicated in the enclosed DMRs.

Please call if you have any questions regarding the above. We appreciate your continued assistance on the project.

Sincerely yours,
HALEY & ALDRICH, INC.

Sean Clifford
Staff Environmental Scientist

Sunila Gupta
Project Manager

Enclosure

c: Tenax Finishing Products Co.; Attn: James O'Neill

G:\Data\76\76080\PVSC\Monthly DMRs\Transmittal Letter- July 2008 DMR.doc